

# Broadcasting & Journalism



Walter Cronkite  
School of Journalism



**LOCATION: PHOENIX, AR**  
**INDUSTRY: EDUCATION**

## The Challenges

- Provide a tapeless, high-availability, play-to-air solution using Apple Xsan and PROMISE VTrak RAID
- Deliver I/O bandwidth needed for up to four simultaneous DVCPRO HD streams with non-disruptive failover in the event Xsan failure occurs during playout
- Provide additional mirrored protection for Retrospect backup servers

## Vmirror Benefits

- Uninterruptible, high-availability broadcast storage solution that protects against failures of Xsan storage systems and fabric during broadcast
- Continuous, consolidated protection for both news broadcast content and backup servers
- Provides local disaster recovery protection via separate data storage sites
- Simple, centralized administration and reduced complexity

## Making the Grade: Achieving Broadcast-Quality Uptime at the Cronkite School

Located in downtown Phoenix, Arizona State University's Cronkite School of Journalism prepares students for media careers in television, radio, and print as well as public relations. Nationally recognized and taught by a faculty of award-winning professional journalists and renowned media scholars, the school produces some of the best and brightest journalism students in the United States.

Befitting its legendary namesake, Walter Cronkite, the school has constructed a 250,000 sq. foot, state-of-the-art journalism facility for students to develop their skills in television writing, shooting, editing and broadcasting. Representing an investment of \$71 million, *"The great thing about Vicom is not the building is equipped with 14 digital newsrooms and only do they have a great product, but computer labs, two TV studios, and 500 Apple Mac computers running Final Cut Studio and enterprise-grade Xsan infrastructure. Far more than a classroom laboratory, the facility provides a real-life news broadcast environment in which students produce and air a live news program that reaches over 1 million households four nights a week over cable and public television channels.*

*Sassan Pouretezadi*  
*Director of Computer Services at*  
*Arizona State University*

## Achieving Broadcast-Quality Uptime

The delivery of daily news depends on Apple IT infrastructure. The school's entire news workflow, from video ingest to playout of the day's programming, is accomplished entirely on Mac computers and Xsan-compatible storage infrastructure.

The process begins with the uploading of student reporter footage and news content to Xsan folders on Mac editing stations, which are subsequently edited by other students using Final Cut Pro. Once editing is completed and checked by faculty reviewers, the news show is storyboarded and programmed for play-to-air using AP news broadcast management and Sienna video production applications. Upon completion, the entire day's programming resides on Xsan-based storage, awaiting the start of the daily broadcast.




**Figure 1.** Vmirror Flexibility. Vmirror engines can be clustered over Fibre Channel to create mirroring locally or at a distance. Single engine appliances may also be located in separate physical locations and connected via FC link, creating a single, logical appliance to mirror over distance for local disaster recovery applications.

## High Availability and High Performance Solution

Like any commercial broadcast environment, the school's news program delivery hinges on the continuous availability of digital programming content before and during broadcast. To achieve this, the digital broadcast infrastructure must not only be able to withstand component failures, but video stream delivery must also meet exacting performance standards to ensure that video content can be delivered without interruption. Faced with this need for high-availability broadcast infrastructure, the school's Director of Computer Services, Sassan Pouretezadi, went through careful evaluation of each storage component comprising the play-to-air storage system. First, he chose QLogic 9100 and 5602 SAN switches to provide the fabric between Xsan storage and an Exabyte 448 tape library which he selected for broadcast archival.

For the mission-critical storage system, Mr. Pouretezadi evaluated several Xsan-compatible, network storage solutions before deciding on a Vmirror SAN Appliance from Vicom Systems and a mirrored, 24-terabyte VTrak RAID system from PROMISE Technology. As shown in Figure 2, the two, 24-terabyte RAID systems and QLogic switches are maintained in separate locations across the street from one another. This separation provides an additional level of physical protection in case of data room disasters such as fire or flooding.

The VTrak RAID, which is equipped with dual, high-performance RAID controllers, is an ideal complement to the Vmirror appliance, since both systems employ built-in failover in case of internal component outage. To ensure playout of the news broadcast, Vmirror



**Figure 2.** Cronkite School Play-to-Air SAN Configuration

provides two fully redundant data paths between playout server and the mirrored VTrak RAID arrays. Should an outage occur anywhere on either of the two data paths, Vmirror instantly fails over to the alternate, good data path, enabling playout to continue without interruption.

## Cost-Effective Choice

Following installation, Mr. Pouretezadi was not only impressed with the performance and operation of the Vmirror-protected playout system, he was also pleased that it was his most affordable high-availability option. While cost was not the primary factor in his decision, it remains an important consideration in budgeting and running the school's IT operations.

---

---

---

The advantages of the Vmirror choice were further reinforced when Mr. Pouretezadi sought a way protect a file-server backup system used for Mac systems external to the playout system. He quickly realized the backup file storage could be mirrored easily with an additional SAN connection to the Vmirror playout system. By assigning the backup storage as another VTrak volume, Vmirror automatically mirrored the backup data to VTrak storage located at the other site, with no additional management. In Mr. Pouretezadi's words, "With Vmirror, I got "a 'twofer' high-availability storage solution that provided continuous protection of both playout and critical backup data, in real time."

**Business Benefits:**

**Assured, Mission-Critical Broadcast Performance and Support**

The Vmirror playout solution exceeded Mr. Pouretezadi's expectations. In early operations of the school's SAN, a blade failure occurred in one of its switches, and in another instance, a "network connectivity" issue was experienced. In both cases, Vmirror worked flawlessly, automatically shifting access away from the problem and to the good VTrak data without interrupting operations.

To Mr. Pouretezadi, not only has the Vmirror system provided continuous data protection and high-availability insurance against outages, but Vicom has also provided exceptional support to the school. Said Mr. Pouretezadi, "The great thing about Vicom is not only do they have a great product, but they have great customer service, too."

**PROMISE<sup>®</sup>**  
**TECHNOLOGY, INC.**

For more information, please visit PROMISE on the web at: [www.promise.com](http://www.promise.com)

© 2010 PROMISE Technology, Inc. All Rights Reserved. PROMISE, the PROMISE logo, VTrak, SmartStor, SuperTrak, FastTrak, VessRAID, Vess, PerfectPATH, PerfectRAID, SATA150, ULTRA133 and GreenRAID are registered or pending trademarks of PROMISE Technology, Inc. in the U.S. and other countries. All other trademarks are the property of their respective owners. Information regarding products, services and offerings may be superseded by subsequent documents and are subject to change without notice. For the latest information and specifications regarding PROMISE Technology, Inc. and any of its offerings or services, please contact your local PROMISE office or the corporate headquarters.